CHASSIS FRAME MONITOR

□ Specification

Model Name	TSCHA-W1730
Size	17.3 inch Wide
Active Area(mm)	381.888(H) X 214.812(V)
Pixel Pitch(mm)	0.1989(H) X 0.1989(V)
Resolution	1920(H) X 1080(V)
Contrast Ratio	600 : 1 (Typ)
Display Color	16.7M
Response time (R + F)	40 ms (typ)
Brightness(cd/m²)	Тур. 400
Viewing Angle (L/R/U/D)	89/89/89
Operating Temperature	0 - 50 'C
Storage Temperuatre	0 - 50 'C
Signal Connector	(RGB, DVI)
Frame	Chassis Frame
Power Source	12V DC in, with External AC to DC Adapter
Power Consumption	22.6 W
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Product weight	3.8 Kg
Packing Information	500x400x130(H)mm (1pcs/ 5.4Kg)



< Option >

	<u> </u>
Signal Connector	HDMI, DP, S-Video, CVBS
Power source	DC 24V, AC 110~220V
Frame type	Open, Panel Mount, Rack Mount
Touch Screen	Resistive, Glass
Dimming	Auto, Knob, Manual
temperature control	Heating , Cooling


* Dimming

- Industrial monitor : 5% Dimming (Zero Dimming : please ask to Sales team)
- High-brightness monitor : 50% Dimming (5%, Zero Dimming : please ask to Sales team)

^{*} Specifications are subject to change without notice.

CHASSIS FRAME MONITOR

Mechanical Drawing



^{*} Specifications are subject to change without notice.